


STARDOUCH

- After having installed the hinges on the wall or on the fixed pane, unscrew the 2 Allen screws
 - Put a drop of silicone on the top of the screws. Insert the screws and adjust the required angle
 - Make sure that you have thoroughly tightened the screws both sides (interior & exterior)
 - Control the functioning of the door by moving it several times
 - Again tighten the 2 Allen screws (interior & exterior)
 - The self-closing area (20 degrees) remains effective
-
- Après installation des charnières sur le mur ou sur la glace fixe, dévisser les vis Allen. Ajouter une goutte de silicone sur l'extrémité des vis
 - Visser jusqu'à obtenir la position de la porte souhaitée
 - Serrer les 2 vis à fond des 2 côtés (intérieur & extérieur)
 - Contrôler que la porte est bien positionnée en la faisant bouger plusieurs fois
 - Resserrer encore une fois les vis Allen (intérieur & extérieur)
 - La zone de retour automatique reste inchangée





STARDOUCH

The adjustable swing door hinge

La charnière va-et-vient réglable

- - Double action hinge : in AND out opening
 - Self-closing function of the door on the last 20 degrees
 - A large choice of angles offers many original possibilities of construction : folding doors, enclosure for bath tube, overlapping glass doors etc...
 - Ease of mounting : adjustment of the closed position ($\pm 5^\circ$) after the door has been installed
 - Aesthetics and functionality : the wall plate can be delivered in a version with long holes (easy mounting) and cover (non visible wall screws).
-
- - Ouverture dans les 2 sens, intérieur ET extérieur
 - Fermeture automatique de la porte sur les derniers 20°
 - Un très large choix d'angles permettant les constructions de cabines de douche les plus originales : portes repliables, portes à recouvrement, pare-douche sur baignoire etc...
 - Facilité de montage : réglage de la position fermée de $\pm 5^\circ$ afin de compenser les imperfections du mur
 - Esthétique et fonctionnalité : la plaque de fixation murale peut être livrée avec cache (vis invisibles) et trous oblongs (montage simplifié).



CREATIONS D.GUIDOTTI s.a. ZI de la Pomme 8 rue François Arago
BP 34, 31250 REVEL

Ech : 1:1

Tol : ± 0.1

Charnière glace-glace à 90°

Réf : CS62

Fait le : 13/01/2000 Par : Vila

Matière :

Traitement :

N° : 44189.A